

Notice of Allowability

Application No.

10/681,023

Examiner

Eric M. Blount

Applicant(s)

KING, SAMUEL

Art Unit

2636

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed July 11, 2005.
2. ☒ The allowed claim(s) is/are 1-13,15,17 and 18.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

Drawings

1. The drawings submitted by Applicant on October 8, 2003 are accepted.

Allowable Subject Matter

2. **Claims 1-13, 15, and 17-18** are allowed. The following is an examiner's statement of reasons for allowance:
 - a. Regarding independent **claim 1**, the prior art of record fails to sufficiently describe or suggest an intelligent warning system comprising a ventilation system operably connected to a control circuit that receives location data from a detector to activate the alarm and ventilation systems as a function of the data. The method comprises steps of shutting ventilation in response to smoke detection in a first room corresponding to the location data and shutting ventilation in an area adjacent the first room. Ventilation is increased in response to carbon monoxide detection in a second room corresponding to the location data and in an area adjacent the second room. Emergency services are contacted in response to an alarm.
 - b. Regarding independent **claim 17**, the prior art of record fails to sufficiently describe or suggest an intelligent warning system comprising a ventilation system operably connected to a control circuit that receives location data from a detector to activate the alarm and ventilation systems as a function of the data. The method comprises steps of shutting ventilation in response to smoke

detection in a first room corresponding to the location data and shutting ventilation in an area adjacent the first room. Emergency services are contacted in response to an alarm.

c. Regarding independent **claim 18**, the prior art of record fails to sufficiently describe or suggest an intelligent warning system comprising a ventilation system operably connected to a control circuit that receives location data from a detector to activate the alarm and ventilation systems as a function of the data. The method comprises steps of increasing ventilation in response to carbon monoxide detection in a second room corresponding to the location data and in an area adjacent the second room. Emergency services are contacted in response to an alarm.

These along with other limitations set forth by the claims render the application allowable over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion


2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric M. Blount whose telephone number is (571) 272-2973. The examiner can normally be reached on 8:00 am - 4:00 pm.

Art Unit: 2636

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey Hofsass can be reached on (571) 272-2981. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Eric M. Blount
Examiner
Art Unit 2636



JEFFERY HOFSSASS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600